

30.06 Springfield (7,62 x 63)

| PROJECTILE BULLET | | | ETUI CASE | AMORCAGE PRIMER | POUDRE/POWER VECTAN | | | VITESSE 2,5 m VELOCITY | | PRESSION PRESSURE | | NORMES CIP | |
|---------------------------|--------------|--------|--------------|-----------------|---------------------|---------|--------|------------------------|--------|-------------------|--------|-----------------|------------------|
| TYPE | POIDS/weight | | | | TYPE | CHARGE | | m/s | f/s | bars | psi | LONGUEUR | PRESSION Crusher |
| | Grammes | grains | | | | Grammes | grains | | | | | Maxi Etui en mm | Maxi en bars |
| Nosler Partition n° 16329 | 9.72 | 150 | Hirtenberger | Rem. 91/2 | Tu3000 | 3.2 | 49.0 | 900.0 | 2953.0 | 3100.0 | 4495.0 | 63.35 | 3500 |
| Nosler Partition n° 16329 | 9.72 | 150 | Hirtenberger | Rem. 91/2 | Tu5000 | 3.4 | 52.0 | 895.0 | 2936.0 | 3000.0 | 4350.0 | 63.35 | 3500 |
| LAPUA HP-BT n° 2509 | 10.89 | 168 | Federal | Winchester LR | Tu3000 | 3.0 | 46.0 | 830.0 | 2723.0 | 3050.0 | 4422.5 | 63.35 | 3500 |
| LAPUA HP-BT n° 2509 | 10.89 | 168 | Federal | Winchester LR | Tu5000 | 3.25 | 50.0 | 850.0 | 2789.0 | 3200.0 | 4640.0 | 63.35 | 3500 |
| Norma RN-SP n° 67648 | 11.66 | 180 | Federal | Winchester LR | Tu5000 | 3.22 | 50.0 | 800.0 | 2625.0 | 2900.0 | 4205.0 | 63.35 | 3500 |
| Norma RN-SP n° 67648 | 11.66 | 180 | Federal | Winchester LR | Tu7000 | 3.52 | 54.0 | 800.0 | 2625.0 | 3000.0 | 4350.0 | 63.35 | 3500 |
| Sierra HP-BT n° 2210 | 12.31 | 190 | Federal | Winchester LR | Tu5000 | 3.1 | 48.0 | 775.0 | 2543.0 | 2900.0 | 4205.0 | 63.35 | 3500 |
| Sierra HP-BT n° 2210 | 12.31 | 190 | Federal | Winchester LR | Tu7000 | 3.35 | 52.0 | 770.0 | 2526.0 | 3000.0 | 4350.0 | 63.35 | 3500 |
| RCBS coulé n° 30-150 GC | 9.72 | 150 | Federal | CCI 200 | Ba6 | 1.25 | 19.0 | 520.0 | 1706.0 | 1500.0 | 2175.0 | 63.35 | 3500 |
| RCBS coulé n° 30-180 GC | 11.66 | 180 | Federal | CCI 200 | Ba6 | 1.32 | 20.0 | 510.0 | 1673.0 | 1700.0 | 2465.0 | 63.35 | 3500 |